

CATALOGUE
16/17



PENSONIC
Your Enjoyment

Year of Rooster 雞大欢喜

正新奇國際有限公司

• Audio • Visual • Home Appliances • Air Conditioner

PROFILE Of EXCELLENCE

1965

Establishment of Keat Radio & Electrical Co. in Balik Pulau, Penang by founder Dato' Seri Chew Weng Khak.

1974

1st Keat Radio & Electrical Co. branch was set up in line with its business expansion.

1976

Ventured into import, export and distribution of Electrical Home Appliances (EHA).

1977

Incorporation of Keat Radio Sdn. Bhd. as a private limited company.



1982

Pensoric Sales & Service Sdn. Bhd. was established to support import of audio and visual products under the brand 'Pensoric', symbolising the 'Sound of Penang'.

1984

Registration of Pensoric trademark in Malaysia and eventual registration in over 20 countries.



1994

Incorporation of Pensoric Holdings Berhad.

1995

Successful listing on the Second Board of Bursa Malaysia.

1999

Accorded the ISO 9002 accreditation.

2002

- Upgraded to ISO 9001 - 2000 accreditation.
- Pensoric Table Fan PF-42 won the 2002 Energy Efficiency & Best Price Fan from Tenaga Nasional Berhad and Ministry of Energy, Communications and Multimedia.
- Involvement in Own Brand Manufacturing (OBM) and Own Design Manufacturing (ODM). Under its multi-brand business model, it owns LEBENSTIL KOLLEKTION of Germany and holds the sole-distribution in Malaysia for PRINCESS of Holland.
- The first Malaysian brand to be awarded the Brand Promotion Grant (for export market) and logo "MADE IN MALAYSIA FOR THE WORLD".

2003

- Pensoric is the only Electrical Home Appliances brand selected by the Malaysia External Trade Development Corporation (MATRADE) as one of the 20 leading and most prominent brands in Malaysia for the SHOWCASE MALAYSIA 2003 trade exhibition, held in conjunction with the 13th Non-Aligned Movement (NAM) Summit.

2004

- Awarded the NATIONAL CREATIVITY & INNOVATION AWARD by the Malaysia Design Technology Centre for outstanding brand building.



- Pensoric Blender PB-501 was recognised as the Malaysia Good Design Mark by the Malaysia Design Council.

2005

Launch of Pensoric's new logo and '12 Pensoric Friends' campaign.



PROFILE *of* EXCELLENCE

2006

- Launch of 'Pensoric Friends Season 2' campaign.
- Acquisition of Amtek Marketing Services Sdn. Bhd. and Amtek Marketing Services Pte Ltd which owns CORNELL of USA and obtained the sole-distribution in Malaysia for internationally-acclaimed brands like GE APPLIANCES of USA and MORPHY RICHARDS of the UK.

2007

- Awarded the Brand Excellence Award by Ministry of International Trade and Industry.



- Launch of 'Pensoric Friends Season 3' campaign.
- Pensoric launched the new '25 Friends of Pensoric' campaign featuring 25 successful Malaysian icons to celebrate Pensoric's 25th anniversary.




2008

- Pensoric established its business presence in 27 countries worldwide.
- Recipient of Brand Excellence Award by the Ministry of International Trade and Industry.
- Launch of "Pensoric, Your Friend, Your Enjoyment" campaign.



2009

- Pensoric's innovative, humour infused **BOLD FAN** was voted **The Best Electronic Goods TVCs 2008** by Marketing Magazine. This Hokkien TV Commercial hit over 100,000 views within 2 days after it was posted on Pensoric YouTube channel.



2010

- Recipient of Brand Excellence Award by the Ministry of International Trade and Industry.
- Received the Putra Brand Awards 2010.
- Participated in the NTEA labs organised by PEMANDU to plan out the National Economic Transformation Program.



2011

- Putra Brand Awards
Putra Brand Awards - 'Special Mention' Award in Personal Household & Outdoor Appliances

- Best Brand
In Consumer Electrical Home Appliances by The Brand Laureate Awards.



- Honorary Award
by Young Entrepreneurs' Association of Malaysia.
- Brand Excellence Award (Merchandise)
by Young Entrepreneurs' Association of Malaysia (PYUMM)

- Announcement by the Prime Minister that Pensoric will spearhead a manufacturing hub and international distribution network of Electrical Home Appliances (EHA) as one of the fifteen Entry Point projects in E&E under the Country's Economic Transformation Program.



- '5-Star' Energy Efficiency Rating by Sunuhariaya Tenaga Malaysia.
- Became sole distributor in Malaysia for Italian Coffee Machine Manufacturer Gaggia.

PROFILE OF EXCELLENCE

2012

The Most Promising Brand of the Year by Putra Brand Awards.



Industry Excellence Award

Certificate of Excellence by Ministry of International Trade and Industry.



Pen sonic's 30th Anniversary Celebration at Mid Valley Megamall.

2014

Participated in Ministry of International Trade and Industry 'Anugerah Kecemerlangan Industri'.



Launch of Season 1 "Raya-Merdeka Bring Chef Home" Campaign and Chef's Like product series. Chef's Like product series are Dato' Chef Hajj Ismail's favourite line of home products.

2015


- Pen sonic's founder, Y.Bhg Dato' Seri Chew Weng Khak, was the first recipient of the '2015 Putra Brand Personality of the Year Award' by Putra Brand Awards.



- Pen sonic's new Head Office (Global Operations & Innovation Centre) begins operations.



- Launch of Coffee Table Book "Braving the Limitless: The Story of the Man Behind Pen sonic, Chew Weng Khak" at Pen sonic's New Head Office Grand Opening Celebration Dinner.



- Built and manufactured innovative mobile phone accessories. The smart power bank 'Fonebud Essential Plus' and 'Fonebud' brand was launched in August 2015.

2016

- Pen sonic Holdings Berhad awarded Malaysia Good Design Mark 2015 for its latest innovative product, the Fonebud Essential Plus.





HAND BLENDER

Whisk, Whip & Blend

A hand held, immersion blender with a robust, 500W motor that's such a pleasure to use. Single touch speed button makes pureeing, blending, whisking and chopping a breeze.

Easily cleaned stainless steel shaft with slim, ergonomic grip handle reaches easily into pitchers, bowls and pots.

Nutri de Blender



PNB-1

- Jug 2.0L • 38,000 rpm • 3 hp
- Japanese Stainless Steel Blade
- Powerful Motor • LCD Display
- PCB Function Control with 6 Functions & 8 Modes
- Suitable for Vegetables, Soy Milk, Sauces, Smoothies, Cream Soups, Nuts



► Easy to use

Smart One Touch Pre-set functional buttons to process vegetables, soy milk, sauces, smoothies, soups & nuts, especially convenient for baby food processing.

► Patented heavy-duty stainless steel blade from Japan

Best performance to ensure freshness of food.

► High Nutrition

With high speed motor of 38,000 rpm, all phytonutrients of fruits and vegetables can be well blended and fully absorbed by our bodies.

► Patented and high quality polycarbonate Jug

It is able to withstand high temperature, easy to use, easy to clean and hygienic.

► Dual safety protection motor

Equipped with an upgraded design that allows overheat and displacement shut off.

Scan to view
PNB-1 TVC
In YouTube



PNB-1

- 1.0L • 250W
- 1-Speed
- Stainless Steel Blade
- With Stirrer
- Dual Safety Lock
- Mill Attachment



PNB-1

- 1.25L • 350W
- 2-Speed with Pulse
- Stainless Steel Blade
- With Safety Lock
- Mill Attachment
- Jug Cover with Stopper Hole



- 1.0L • 250W
- 1-Speed
- Stainless Steel Blade
- With Stirrer
- Safety Switch

PB-3203

• With Mill Attachment

PB-3203L

• Without Mill Attachment



PB-3206

- 1.0L • 250W
- 1-Speed
- Stainless Steel Blade
- With Stirrer
- Safety Switch
- Mill Attachment



PB-3301

- 1.0L • 250W
- 2-Speed with Pulse
- Stainless Steel Blade
- With Stirrer
- Safety Switch
- Mill Attachment



PB-426

- 1.25L • 350W
- 2-Speed with Pulse
- Stainless Steel Blade
- With Safety Lock
- Mill Attachment
- Jug Cover with Stopper Hole

PB-426

- 1.5L • 400W
- 2-Speed with Pulse
- Stainless Steel Blade
- Dual Safety Lock
- Mill Attachment
- Jug Cover with Stopper Hole



PB-3205

• Without Extra Jug

PB-3205DJ

• With Extra Jug 1.0L



PERSONAL BLENDER

- 250W • 220 - 240V ~ 50/60Hz
- BPA-free Tritan Sports Bottle
- Stainless Steel Cutter Blades
- Safety Lock Protection
- Non-slip Grip Feet
- Leak-proof Travel Lid and Snap Hook
- One-touch Pulse Switch Blends Fruits, Vegetables and Crushes Ice.
- Ideal Choice for Travellers.

fitmi
by Panasonic



PB-4003S PB-4004V PB-4005P



PB-4000

- 800ml • 350W
- 1-Speed
- Stainless Steel Blades
- Multi-function:
- Blender / Grinder / Chopper / Juice Extractor



PB-7511

- 500W • 220 - 240V ~ 50/60Hz
- 2-Speed
- Slim Handle Design
- Ergonomic Grip
- Handles Pureeing, Blending, Whisking & Chopping with Ease
- Accessories: 500ml Food Processor Bowl, 700ml Beaker, Whisk and Chopper

PB-5001

- 500W • 2-Speed with Pulse
- 1.8L Jug • 1.2L Food Processor Bowl
- Motor with Overheating Protection
- Double Safety Switch
- Multi-function: Blending / Chopping / Slicing / Grating / Emulsifying / Juicing
- Accessories: Slicing Blade, Shredding Blade, Chopper, Kneading Blade, Emulsifying Disc, Citrus Juices Blender

JUICE EXTRACTOR

papa
blend
for my juice loves



PNB-2

- Jug 1.5L • 300W
- Eight-cutter Blades with Grinder for Finer Juice Processing
- Convenient Juice Dispensing with Faucet Spout Feature
- Circular Grinding Provides more Delicate and Exquisite Juice Enjoyment
- Maximises Nutrition and Taste in Juices of Fruits, Vegetables, Grains and Grasses
- Blends Fruits, Vegetables, Sauces, Smoothies, Nuts, Grains, etc.

Scan to view PNB-2
TVC in YouTube



PJ-37

- 400W
- 2-Speed
- Safety Switch
- With Fruit Tray
- With Juice & Pulp Container
- Double Safety Lock
- Stainless Steel Filter



PJ-57

- 300W
- 1-Speed
- Stainless Steel Filter
- Safety Switch



KETTLE / JUG KETTLE



PAK-24A

- 4.8L • 1850-2200W
- Auto Switch Off
- Original UK Strix Control
- Cool Touch base
- High Grade Polished Stainless Steel body
- Boil-dry Protection



PAK-25C

- 5.0L • 1850-2200W
- Auto Switch Off
- Cool Touch base
- High Grade Polished Stainless Steel body
- Boil-dry Protection



PAK-5000C

- 5.0L • 1850-2200W
- Auto Switch Off
- Cordless
- 360° Swivel base
- Cool Touch base
- High Grade Polished Stainless Steel body
- Boil-dry Protection



PAB-110C

- 1.0L • 640-1000W
- Auto Switch Off
- Cordless
- Original UK Strix Control
- Illuminated On / Off Switch
- Extra Filter



PAB-170CS

- 1.7L • 1850-2200W
- Auto Switch Off
- Cordless
- Original UK Strix Control
- Illuminated On / Off Switch
- Stainless Steel body
- Concealed Heating Element



PAB-1704

- 1.7L • 1850-2200W
- Auto Switch Off
- Cordless
- Stainless Steel Heating Element
- Boil-dry & Overheat Protection



PAB-1705

- 1.7L • 1850-2200W
- Auto Switch Off
- Cordless
- Stainless Steel Heating Element
- Boil-dry & Overheat Protection

PAB-1706C

- 1.7L • 1850-2200W
- Auto Switch Off
- Cordless
- 360° Swivel base
- Stainless Steel Heating Element
- Boil-dry & Overheat Protection
- Anti-slip Feet & Cord Storage
- Concealed Heating Element



PAB-1708CS

- 1.7L • 1830W
- Cool Touch • Cordless
- Keep Warm • 360° Swivel base
- Auto Switch Off
- Stainless Rounded Inner Tank
- Boil-dry & Overheat Protection
- Concealed Heating Element





PAB-1709CS

- 2.0L • 1850-2200W
- Cordless • 360° Swivel Base
- Auto Switch Off
- Boil-dry & Overheat Protection
- With Cord Storage
- Concealed Heating Element



PAB-19

- 1.8L • 1850-2200W
- Auto Switch Off
- Original UK Style Control
- Boil-dry Protection
- Illuminated On / Off Switch

THERMO POT



PMK-1400

- 1.4L
- Cordless with 360° Swivel Base
- Cool-touch Body
- Boil-dry Protection
- Stainless Steel Heating Element
- Manual Keep Warm Function
- Water Level Gauge with Night Light
- Detachable Lid for Easy Cleaning

THERMO FLASK



PTF-306

- 3.0L • 730W
- Manual Dispenser with Lock
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Stainless Steel Inner Pot
- Lock / Unlock Safety Feature
- 3-way Dispenser
- Water Level Gauge



PTF-3001

- 3.0L • 750W
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Water Level Gauge
- Stainless Steel Inner Pot
- 2-way Dispenser (Button / Cup)



PTF-5001

- 5.0L • 750W
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Stainless Steel Inner Pot
- Water Level Gauge
- 2-way Dispenser (Button / Cup)



PTF-500A

- 5.0L • 730W
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Water Level Gauge
- Stainless Steel Inner Pot
- 2-way Dispenser (Button / Cup)



PTF-500E

- 5.0L • 750W
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Stainless Steel Inner Pot
- Water Level Gauge
- 2-way Dispenser (Button / Cup)



PTF-600A

- 6.0L • 730W
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Water Level Gauge
- Stainless Steel Inner Pot
- 2-way Dispenser (Button / Cup)



PTF-5003

- 5.0L • 750W
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Water Level Gauge
- Stainless Steel Inner Pot
- 2-way Dispenser (Button / Cup)



PTF-6000

- 6.0L • 730W
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Stainless Steel Inner Pot
- Water Level Gauge
- 2-way Dispenser (Button / Cup)



PET-4000L

- 4.0L • Child-lock
- With Stop Button
- Variable Volume
- One Touch Auto Dispenser
- Full Cup Freshly-boiled Water within 45 sec*
- Integrated Drip Tray
- Consistent & Smooth Water Delivery
- Stylish Blue Light Indicator



WATER FILTER

PP-123



Cartridge: PP-123R1 / 123R2

PMP-15



- Container Capacity: 15L
- Filter Capacity: 48-71 Litres/day
- Type of Purification: Ceramic Filtration
- Dim (mm): 66000 x 3150W x 3150D

Cartridge:
PMP-15R1 / 15R2 / 15R3

PMP-15R1 MINERAL STONES

- Enriches Essential Mineral Contents, Oxygen in the Water
- Controls Water pH to Mild Alkaline
- Keeps Water Fresh & Active



PP-123R1 CARBON BLOCK

- 5.0 Micron Filtration for Reduction of Cryptosporidium and Giardia (VOCS)
- Polishing Filter for Excellent Drinking Water
- Class 1 Chlorine, Taste & Odour Reduction



PMP-15R2 CERAMIC DOME

- Micron Size: 0.9 - 0.5 Micron
- Filtration that Blocks Sediment Particles such as Dirt, Rust and also Bacteria



PP-123R2 SEDIMENT FILTER

- Polypropylene Replacement Cartridge
- For Removal of Sand, Silt, Dirt & Rust
- Maximum Housing Temperature: 125°F (52°C)
- Water Flow: 20 Litre per Minute



PMP-15R3 4-STEP FILTRATION SYSTEM

- Step 1: Activated Carbon Remove Chlorine, THMs, Organic Chemicals, Unpleasant Odours & Colours
- Step 2: Silica Sand Removes Acidic Components from the Water
- Step 3: Zeolite Removes Heavy Metals
- Step 4: Mineral Sand Release Minerals & Adjust pH of Water to Mild Alkaline

WATER DISPENSER

PWD-200



- 750-890W
- Anti-dry Boiler Protection
- Cool-touch Body
- Detachable Top Cover for Easy Cleaning
- Water Level Indicator with Night Light
- Auto Reboil & Keep Warm
- 24 Hours Standby Mode
- Stainless Steel Inner Pot
- Hot Water Capacity: 5L
- Warm Water Capacity: 2L



PWD-700

- 680W
- Stopcock Button
- Water Level Indicator
- Auto Boil & Reboil Function
- Keep Warm Function
- Easy-to-use Operation Button
- Hot Water Capacity: 5.4L
- Warm Water Capacity: 1.6L

COFFEE MAKER

PCM-1900



- 800W • 1.2L (10 cups)
- On/Off Switch with Indicator Light
- Warming Plate
- Removable Filter
- Anti-drip Device
- Accessories: Measuring Spoon
- Translucent Water Tank with Level Indicator



PCM-1901

- 750W • 1.25L (10 cups)
- On/Off Switch with Indicator Light
- Warming Plate
- Removable Filter Holder
- Anti-drip Device
- Water Level Indicator
- Accessories: Measuring Spoon
- Translucent Water Tank with Level Indicator

MICROWAVE OVEN



PMJ-280MD

- 28L
- Input Power: 1450W
- Output Power: 900W
- Input Power (Grill): 1100W
- With Lock Function & Defrost Setting
- Digital Joy Wheel Control with Grill Function
- Mirror Design with Pull Handle Door
- 8 Auto-cook Programmes
- Cooking Time: 0-95 Minutes
- Glass Turntable Diameter: 315mm



PMJ-202M

- 20L
- Input Power: 1100 - 1150W
- Output Power: 650 - 700W
- Painted Cavity
- Manual Control
- Cooking End Signal
- 6 Microwave Power Levels (Including Defrost)
- Mirror Design with Pull Handle Door
- Cooking Timer: 0-35 Minutes
- Glass Turntable Diameter: 255mm

PURE WATER SYSTEM



PFS-6

- Removes & Reduces Dirt, Solids & Harmful Bacteria
- Mild Alkaline Water Helps to adjust pH Balance of Body Fluids
- Better Water Absorption & Enriches the Oxygen Content of Water
- Removal of Chlorine, Odour & Enhances the Water Quality
- Cartridge : PFS-6RC / 6R1 / 6R2 / 6R3 / 6R6

STEAMBOAT



PSB-1285

- 3.8L
- 1600W
- See-through Glass Lid
- Adjustable Temperature Control
- Short Heat-up Time
- Removable Stainless Steel Pot for Easy Cleaning & Storage



PSB-130G

- 3.0L
- 2100W
- 2-in-1 Steamboat and MQ
- ▲ Steamboat - 1600W
- ▲ MQ - 500W
- Steamboat and MQ Can Be Used at Same Time or Separately
- Heats Up Quickly and Evenly
- Removable Non-Stick Pot for Easy Cleaning
- With Tempered Glass Lid

INDUCTION COOKER

PIC-20



- 2000W
- LCD Display Control Panel
- Ceramic Glass Cook Top
- Child Lock
- Intelligent Micro-computer Control with Touch Sensor
- Cool-touch Cooking Surface
- With Stainless Steel Soup Pot
- 3 Preset Functions: Soup, Rice, Milk
- 4 Adjustable Functions: Stir Fry, Hot Pot / Steamboat, Keep Warm & Power



PIC-21

- 2000W
- LCD Display Control Panel
- Ceramic Glass Cook Top
- Intelligent Micro-computer Control with Touch Sensor
- Cool-touch Cooking Surface
- With Stainless Steel Soup Pot
- 3 Preset Functions: Souffle, Milk, Warm
- 4 Adjustable Functions: Deep Fry, Hot Pot / Steamboat, Soup & Rice

TABLE GRILL

PTG-101G



- 1500W - 1700W
- Large Cooking Surface
- Non-stick Coating Plate, Ribbed for Grilling and Flat Surface for Stir Frying
- Adjustable Temperature Control and Power On Indicator
- Detachable Cooking Plate with Serving Handles
- Detachable Drip Tray for Easy Cleaning
- With Clear Tempered Glass Lid

STEAMER



PSM-1600S

- 1350W
- Double Tier Steamer Baskets to Prepare a Variety of Dishes at the Same Time
- Stainless Steel Multi-function Food Steamer for Steaming, Steaming and Boiling
- 60 Minute Timer with Auto Shut Off
- boil-dry Protection
- Tempered Glass Lid for Easy Viewing of Cooking Progress

OVEN

PEO-1100

- 10L • 2700W
- Adjustable Temperature Control with Indicator Light
- Automatic Shut Off • Toast, Grill, Bake
- Combination of Heater & Function Selector for -Rotisserie/ Convection / Rotisserie & Convection -Upper / Lower / Upper & Lower Heating
- Wire Rack, Baking Tray, Tray Handle, Rotisserie Fork & Rotisserie Fork Handle Provided
- Stainless Steel Body
- 60-minutes Timer Chime
- With Inner Light



PEO-2000



- 20L • 1380W
- 60 Minutes Timer with Automatic Shut Off Chime
- Adjustable Temperature Control with Indicator Light
- Heater Selector for Upper, Lower or Both
- Tray, Tray Handle & Grid Iron Provided
- Toast, Grill & Bake

PEO-2001



- 20L • 1380W
- 60 Minutes Timer with Automatic Shut Off Chime
- Adjustable Temperature Control
- Heater Selector for Upper, Lower or Both
- Tray Handle & Grid Iron Provided
- Toast, Grill & Bake

PEO-3500 / 4200



PEO-3500 PEO-4200

- | | |
|---------|---------|
| • 35L | • 42L |
| • 1500W | • 1800W |

- 60 Minutes Timer with Automatic Shut Off Chime
- Adjustable Temperature Control with Indicator Light
- Heater and Function Selector for - Upper and Lower Heating with Convection - Upper Heating with Convection - Upper and Lower Heating - Upper Heating with Rotisserie - Upper and Lower Heating with Convection and Rotisserie
- Tray, Tray Handle, Grid Iron & Rotisserie Fork Provided
- With Rotisserie & Convection Function
- With Stainless Steel Body

PEO-3501 / 4501



PEO-3501 PEO-4501

- | | |
|---------|---------|
| • 35L | • 45L |
| • 1600W | • 2000W |

- 60 Minutes Timer with Automatic Shut Off Chime
- Adjustable Temperature Control with Indicator Light
- Heater and Function Selector for - Upper and Lower Heating with Convection - Upper Heating with Convection - Upper and Lower Heating - Upper Heating with Rotisserie - Upper and Lower Heating with Convection and Rotisserie
- Tray, Tray Handle, Grid Iron & Rotisserie Fork Provided
- With Rotisserie & Convection Function
- With Stainless Steel Body

AE-350N / 420N



AE-350N AE-420N

- | | |
|---------|---------|
| • 35L | • 42L |
| • 1500W | • 1800W |

- 60 Minutes Timer with Automatic Shut Off Chime
- Adjustable Temperature Control with Indicator Light
- Heater and Function Selector for - Upper and Lower Heating with Convection - Upper Heating with Convection - Upper and Lower Heating - Upper Heating with Rotisserie - Upper and Lower Heating with Convection and Rotisserie
- Tray, Tray Handle, Grid Iron & Rotisserie Fork Provided
- With Rotisserie & Convection Function
- Stainless Steel Body



AE-600N

- 60L • 2000W
- 60 Minutes Timer with Automatic Shut Off Chime
- Adjustable Temperature Control with Indicator Light
- Heater and Function Selector for - Upper and Lower with Convection - Upper with Convection - Upper and Lower - Upper with Rotisserie - Upper and Lower with Convection and Rotisserie
- Tray, Tray Handle, Grid Iron & Rotisserie Fork Provided
- With Rotisserie & Convection Function
- With Inner Light
- Stainless Steel Body



STAND MIXER



PM-600

- 1000W
- 5L Brushed Stainless Steel Bowl
- Powerful Motor with Low Noise Design
- Tilt Head for Easy Operation
- Transparent Splash Cover
- 6-speed for All Mixing Needs
 - Pulse Control
- Skid Resistant Feet



PM-215

- 300W
- 5-Speed for All Mixing Needs
- Turbo Power
- Svelv Bowl for Even Mixing
- Light Weight for Easy Handling
- Positive Beater Lock
- Unique & Easily Removed Suction Feet for Stability
- With Beaters and Dough Hooks



PM-6001

- 1000W
- 5L Stainless Steel Mixing Bowl with Integrated Splash Guard
- Powerful 1000W Motor Handles Thick or Larger Loads of Mixing with Ease
- Tilt Head Allows Easy Access to Mixture and Attachments
- Safety Switch Settings for Safe Operation
- 8-speed Settings with Pulse Function
- Thermal Protection Prevents Overheating
- With Flat Beater, Dough Hook and Wire Whisk

HAND MIXER



PM-116B

- 300W
- 5-Speed for Different Mixing Needs
- Turbo Powered
- Light Weight, Ergonomic Design for Easy Handling
- Push Button Beater Ejection
- With Beaters and Dough Hooks



PM-163

- 120W
- 5-Speed for All Mixing Needs
- Positive Beater Lock
- Light Weight for Comfort Handling



PM-116G

- 300W
- 5-Speed for Different Mixing Needs
- Turbo Powered
- Light Weight, Ergonomic Design for Easy Handling
- Push Button Beater Ejection
- With Beaters and Dough Hooks

TOASTER



AK-3N

- 2 Slices
- 700W
- Auto Pop-up
- Crumb Tray
- Browning Control Knob



AK-4

- 4 Slices
- 1200W
- Auto Pop-up
- Crumb Tray
- Browning Control Knob



PT-928

- 2 Slices • 650W - 820W
- Wide Slots (30mm)
- Browning Control Knob
- Removable Crumb Tray for Easy Cleaning
- Cancel Button
- Extra-lift, Auto Safety Shut Off and Auto-centering Tray



PT-929

- 2 Slices • 750W
- Wide Slots (30mm)
- Browning Control Knob
- Removable Crumb Tray for Easy Cleaning
- Cancel Button
- Extra-lift, Auto Safety Shut Off and Auto-centering Tray



SANDWICH TOASTER



PST-960

- 750W
- Durable Casing
- Non-stick Coating
- Cool-touch Housing
- With Indicator Light
- Stands Upright for Easy Storage



PST-961

- 700W
- Non-stick Coating
- Durable Casing
- Cool-touch Housing
- With Indicator Light
- Stands Upright for Easy Storage

OVEN TOASTER



POT-901

- 11.5L
- 950W - 1150W
- 30 Minutes Timer with Automatic Shut Off & Chime
- Tray Provided
- Toast, Grill, Bake
- Removable Crumb Tray for Easy Cleaning



POT-921

- 9.0L
- 800W
- 60 Minutes Timer with Automatic Shut Off & Chime
- Tray Provided
- Toast, Grill, Bake
- Adjustable Temperature Control
- 2 High Efficiency Quartz Elements

GAS RICE COOKER



PCR-888N

- 11L • 60 Persons
- Auto Ignition System
- Fully Automatic • For LPG Use
- See-through Glass & Stainless Steel Lid



PCR-899N

- 14L • 80 Persons
- Auto Ignition System
- Fully Automatic • For LPG Use
- See-through Glass & Stainless Steel Lid

MULTI COOKER



PMC-1201

- 1.2L • 800W
- Two Adjustable Temperature Control Settings
- Seamless, Rounded Edges In Inner Tank Simplifies Cleaning
- Cordless Kettle with 360° Swivel Base
- Boil Dry and Overheating Protection
- Concealed Heating Element
- Multifunction Kettle Boils Water, Steams Buns, Cooks Noodles and Eggs



PMC-138 • PMC-150

- 3.8L • 5.0L
- Adjustable Temperature Control
- Removable Non-stick Inner Pot
- With Tempered Glass Lid
- Steamboat, Deep Fry, Stew



PMC-1385

- 3.8L
- Removable Non-stick Inner Pot
- With Tempered Glass Lid & Steam Tray
- Steaming, Steaming, Stir Frying, Deep Frying

SLOW COOKER



PSC-82

- 0.6L • 65W
- Flowerly Casing
- With Indicator Light



PSC-382

- 3.3L • L-110W • H-220W
- Flowerly Casing
- With Indicator Light
- 3 Temperature Settings: Low / High / Auto



PSC-582

- 4.5L • L-130W • H-260W
- Flowerly Casing
- With Indicator Light
- 3 Temperature Settings: Low / High / Auto



PSC-682

- 5.5L • L-160W • H-320W
- Flowerly Casing
- With Indicator Light
- 3 Temperature Settings: Low / High / Auto




**PB-801
BLENDER**

- 250W • 1.0L
- 2-Speed with Pulse & Stirrer
- Powerful Motor
- Stainless Steel Blade
- Dual Safety Lock
- Mill Attachment


**PTF-5002
THERMO FLASK**

- 750W • 5.0L
- Auto Re boil / Keep Warm
- 360° Swivel Base
- Stainless Steel Inner Pot
- Water Level Gauge
- 2-way Dispenser (Button / Cup)


**PM-214
STAND MIXER**

- 200W
- 5-Speed for All Mixing Needs
- Positive Beater Lock
- Light Weight for Comfort Handling
- Turbo Power
- Swivel Bowl for Even Mixing


**PBM-2000
BREAD MAKER**

- 650W
- 19 Preset Programmes
- 3 Loaf Size Selection (1.0L, 1.5L, 2.0L)
- 3 Adjustable Crust Settings (Light, Medium, Dark)
- 15 Minutes Power Interruption Backup System
- 15 Hours Programmable Delay-start Timer
- Removable Non-stick Bowl for Easy Clean-up
- Accessories: Measuring Cup, Spoon, Hook


**PSM-1603
FOOD STEAMER**

- 800W
- 3 Steamer Containers
- Wm Rice Bowl
- Water Window with Side Water Refill Facility
- 60 minutes Timer with Auto Shut Off & Chime
- Indicator Light


**PDF-2201
AIR FRYER**

- 1200 - 1400W
- High Speed Air Circulation & Oil-free Cooking Technology
- 30 Minutes Timer with Auto Shut Off & Chime
- 80°C - 200°C Adjustable Temperature to Allow a Variety of Food Preparation
- Stainless Steel Heating Element
- Cool Touch Housing & Anti-slip Feet


**AE-19N
OVEN**

- 19L • 1380W
- Automatic Shut Off
- Heater Selector for Upper, Lower or Both
- 60 minutes Timer with Automatic Shut-off & Chime
- Adjustable Temperature Control with Indicator Light
- Tray, Tray Handle & Grid Iron Provided
- Toast, Grill, Bake


**PMW-2003
MICROWAVE OVEN**

- 20L
- Input Power: 1150W
- Output Power: 700W
- Push Button Door
- Pointed Cavity
- Manual Control
- 6 Microwave Power Levels (Including Defrost)
- Cooking End Signal
- Cooking Timer: 0-30 Minutes


**PRO-910
CONVECTION OVEN**

- 1200W - 1400W
- Capacity:
 - 12L (without extender ring)
 - 15L (with extender ring)
- Easy Operation with Timer & Temperature Control
- Cooks Evenly
- Preserves Nutrients & Flavour of Food
- Cooks 3 to 5 Times Faster
- Functions: Roast, Bake, Toast, Grill & Warm


**PSR-17N
RICE COOKER**

- 1.8L • 700W
- 5-8 Persons
- Keep Warm Function
- Cool-touch Housing
- Non-stick Inner Pot
- With Dew Collector
- Detachable Power Cord
- Accessories: Steaming Trays, Rice Scoop, Measuring Cup


**PIC-2000
INDUCTION COOKER**

- 2000W
- LCD Display Control Panel
- With Stainless Steel Soup Pot
- High Quality Ceramic Glass Cooktop
- Timer: 0 - 180 Min
- Adjustable Temperature: 80 - 270°C
- Simple 5-in-1 Function Makes Cooking Easy
- Safe & Easy to Clean with Cool Touch Cooking Surface
- Safe for Environment, Flameless & Smokeless


**PMC-150G
MULTI COOKER**

- 5.0L • 1300W
- With Grill Pan
- Adjustable Temperature Control
- Removable Non-stick Inner Pot
- With Tempered Glass Lid
- Braising, Stir Frying, Deep Frying, Steamboat, Grilling



PSC-101

- 1L • 100-120W
- Flower Casing
- With Indicator Light
- 3 Temperature Settings: Low / High / Auto



PSC-301

- 3L • 215-255W
- Flower Casing
- With Indicator Light
- 3 Temperature Settings: Low / High / Auto



PSC-501

- 5L • 290-345W
- Flower Casing
- With Indicator Light
- 3 Temperature Settings: Low / High / Auto

RICE COOKER



PSR-17L

- 1.8L • 700W-832W
- 5-8 Persons
- Keep Warm Function
- Cool-touch Housing
- Non-stick Inner Pot
- With Dew Collector
- Detachable Power Cord
- Accessories: Steaming Tray, Rice Scoop, Measuring Cup



PSR-22C

- 2.2L • 700W
- 9-12 Persons
- Keep Warm Function
- Cool-touch Housing
- Non-stick Inner Pot
- With Dew Collector
- Detachable Power Cord
- Accessories: Steaming Tray, Rice Scoop, Measuring Cup



PSR-17R

- 1.8L • 700-832W
- 5-8 Persons
- Keep Warm Function
- Lid Cover with Tempered Glass
- Stainless Steel Inner Pot
- Cool-touch Housing
- Detachable Power Cord
- Accessories: Steam Tray, Rice Scoop, Measuring Cup



PRC-6G/ 10G/ 12G/ 18G/ 25G/ 36G

- Keep Warm Function
- Aluminum Inner Pot
- Built-in Thermal Fuse

Model	PRC-6G	PRC-10G	PRC-12G	PRC-18G	PRC-25G	PRC-36G
Voltage	300W-350W	400W-477W	500W-594W	700W-833W	900W-1071W	1350W-1600W
Capacity	0.6L	1.0L	1.2L	1.8L	2.5L	3.6L
Persons	1-2	3-4	5-6	7-8	9-12	13-15
With Steam Tray	*	*	*	*	*	*



PRC-6E/ 11E/ 15E/ 18E/ 28E

- Keep Warm Function
- See-through Glass Lid
- Built-in Thermal Fuse

Model	PRC-6E	PRC-11E	PRC-15E	PRC-18E	PRC-28E
Voltage	300W	400W	500W	700W	1000W
Capacity	0.6L	1.0L	1.5L	1.8L	2.8L
Persons	1-2	3-4	5-6	7-8	9-12
Non-stick Inner Pot	*	*	*	*	*
Aluminum Inner Pot					*

BUILT-IN HOB



PGH-412N

- With Mirror Finishing
- Low Gas Consumption
- 2 Burners with Tempered Glass Top
- Battery Operated Auto Ignition System
- Inner Dim (mm): 630 x 345
- Durable Trivet



PGH-413N

- With Mirror Finishing
- 3 Burners with Tempered Glass Top
- Battery Operated Auto Ignition System
- Inner Dim (mm): 680 x 380
- Enamel Trivet



PGH-422N

- 2 Burners with Tempered Glass Top
- Battery Operated Auto Ignition System
- Inner Dim (mm): 630 x 345
- Durable Trivet



PGH-612N

- 2 Burners with Glass Top
- Flame Output: 3.8kW (Left & Right)
- Battery Operated Auto Ignition System
- With Safety Valve
- Inner Dim (mm): 650 x 350
- Enamel Trivet

INFRARED GAS COOKER



PCC-165SI

- 165 / 165mm
- Stainless Steel Body
- Auto Ignition
- Durable Trivet

SINGLE BURNER GAS COOKER



PCC-25

- 100mm
- Stainless Steel Body
- Single Trivet

DOUBLE BURNER GAS COOKER

PCC-125



- 90 / 90mm
- Double Bee-hive Burner
- Stainless Steel Body
- Auto Ignition
- Durable Trivet

PCC-131S



- 130 / 130mm
- Cut Piece Brass Cap
- Stainless Steel Body
- Enamel Trivet

PCC-2140S



- 140 / 140mm
- Gas-saving Up to 25%
- Stainless Steel Body
- With 7 Jet Head-burner
- Enamel Trivet
- Auto Ignition

PCC-2200G



- 120 / 120mm
- Slim Glass-top
- 8mm Tempered Glass
- Cut Piece Brass Cap
- For LPG Use

PCC-22S



- 100 / 100mm
- Stainless Steel Body
- Double Bee-hive Burner
- Durable Trivet
- Auto Ignition

PCC-22N / 23N



- 100 / 100mm
- Epoxy Body
- Double Bee-hive Burner
- Durable Trivet
- Auto Ignition

PCC-55S



- 120 / 120mm
- Brass Cap
- Stainless Steel Body
- Durable Trivet
- Auto Ignition

PCC-26N



- 100 / 100mm
- Epoxy Coated Body
- Durable Trivet

COMMERCIAL STOVE



PLGS-30C / 40C

- Dual Ring
- Auto Ignition
- For LPG Use Only

GAS REGULATOR



PLPG-1000

- Zinc Base & Aluminum Cover with POM Control Lever
- Max Inlet Pressure 6 Bar
- Outlet Pressure of 28 mbar for LPG Use
- Flow Rate of 1.5kg/hr
- 20mm Inlet Size, 10mm Outlet Nozzle



PLPG-1001H

- Zinc Base & Aluminum Cover with POM Control Lever
- Max Inlet Pressure 6 Bar
- Outlet Pressure of 28 mbar for LPG Use
- Flow Rate of 1.5kg/hr
- 20mm Inlet Size, 10mm Outlet Nozzle
- With Rose

PORTABLE GAS COOKER



PPG-2002N

- 1.6kg
- Variable Flame Control
- Unique Gas Cartridge System with Liquid Guard & Refillable Cartridge
- Dim (mm): 332L x 290W x 103H



PCG-1

- Capacity: 230g
- Cylinder Gas for Portable Gas Cooker
- Lasts Up to 3 Hours

CARTRIDGE



BUILT-IN COOKER HOOD



PCH-8005

- Power: 129W
- LED Light
- 3-Speed Control Button
- Suction Power: 600m³/h
- Product Dimensions: 895W x 475D x 965H (mm)



PCH-8015

- Power: 222W
- LED Light
- 3-Speed Smart Button
- Suction Power: 1000m³/h
- Product Dimensions: 900W x 515D x 900H (mm)



PCH-8025

- Power: 221W
- LED Light
- 3-Speed Electronic Button
- Suction Power: 1000m³/h
- Product Dimensions: 900W x 500D x 910H (mm)



PCH-803G

- Power: 221W
- LED Light
- 3-Speed Smart Button
- Suction Power: 1000m³/h
- Product Dimensions: 900W x 515D x 900H (mm)



PCH-804G

- Power: 222W
- LED Light
- 3-Speed Electronic Button
- Suction Power: 1000m³/h
- Product Dimensions: 900W x 500D x 940H (mm)



PCH-805G

- Power: 190W
- LED Light
- 3-Speed Control Button
- Suction Power: 800m³/h
- Product Dimensions: 890W x 510D x 700H (mm)



PCH-807S

- Power: 280W
- LED Light
- 3-Speed Control Button
- Suction Power: 1200m³/h
- Product Dimensions: 945W x 570D x 565H (mm)



BUILT-IN GAS HOB



PGH-613G

- 2 Burner Hob
- Safety Valve
- Tempered Glass
- Frame Output: 4kW
- Product Dimensions: 780W x 460D (mm)



PGH-614G

- 3 Burner Hob
- Safety Valve
- Tempered Glass
- Frame Output: 4kW (Centre), 1.2kW
- Product Dimensions: 780W x 460D (mm)



PGH-615G

- 2 Burner Hob
- Safety Valve
- Tempered Glass
- Frame Output: 3.5kW
- Product Dimensions: 780W x 460D (mm)



PGH-616G

- 3 Burner Hob
- Safety Valve
- Tempered Glass
- Frame Output: 3.5kW (Centre), 1.5kW
- Product Dimensions: 780W x 460D (mm)



BUILT-IN OVEN



PBO-5603M

- Power: 3000W • 65L
- Fan Grilling • Full Grilling
- 8 Functions • Radiant Grilling
- Convectional Heat • Bottom Heat
- 3-layer Door Glass • Mechanical Controller
- Product Dimension: 595W x 575D x 595H (mm)
- Cut Out Dimensions: 560W x 570D x 600H (mm)



PBO-5602D

- Power: 3100W • 56L
- Fan Grilling • Full Grilling
- 8 Functions • Radiant Grilling
- Convectional Heat • Bottom Heat
- LCD Display • Smart Touch
- 3-layer Door Glass
- Product Dimension: 595W x 573D x 595H (mm)
- Cut Out Dimensions: 560W x 568D x 600H (mm)



BUILT-IN MICROWAVE OVEN




PBW-2501D

- Power: 1450W • 25L
- Digital Control
- 8 Auto-cooking Program
- Microwave • Grill • Defrost
- Aluminum Handle Door
- With Child Lock Function
- Product Dimension: 594W x 410D x 388H (mm)
- Cut Out Dimensions: 568W x 500D x 382H (mm)



Experience the Nutritious Taste of Home Cooking with Pensonic's Longevity Series



get 2 weeks of
DETOK RECIPES

on

www.facebook.com/pensonicaysia

A healthy and balanced diet will ensure your brain and body receive the nutrients and energy needed to increase your productivity at work, give you that youthful glow and have a better quality of life.

The Longevity Series Cookware range comprises safe and healthy rice cookers made of the nutrition enhancing Purple Clay, ceramic double boilers and steamer to help you prepare food the easy way to lock in essential nutrients while retaining its natural colour, flavour and taste. The result is deliciously healthy food that is nutritious and fresh, with the tasty goodness of a home cooked meal.



PRC-20AC PURPLE CLAY MULTI-PURPOSE RICE COOKER

- A variety of rice cooking options such as White Rice, Clay Pot Rice, Glutinous Rice, Congee, Soup.
- 2L high quality Purple Clay inner pot ensures thorough and nutritious cooking while preserving natural flavour of food.
- Double Purple Clay lid cooking method effectively seals in nutrition.
- Timer can be set to begin cooking by a desired time up to a maximum of 9.9 hours.
- 8 hours Keep Warm function ensures food is kept warm until required.



Scan to view
Longevity
TVC on YouTube

2L High Quality
Purple Clay
Inner Pot



X2 Lid
effectively seals
in nutrition



As Featured On
GO SHOP



PSR-30AC PURPLE CLAY RICE COOKER

- Cooks fluffy rice, nourishing porridges and soups.
- Bigger capacity 3L high quality Purple Clay inner pot facilitates optimum cooking, keeping nutrition and taste intact.
- Double lid cooking method effectively seals in nutrition.
- 8 hours Keep Warm function ensures food is kept warm until required.

**3L High Quality
Purple Clay
Inner Pot**



**X2 Lid
effectively seals
in nutrition**



PDB-283 CERAMIC DOUBLE BOILER

- Ideal for making sumptuous stews, appetising steamed dishes and light porridges with 8 preset computerised control modes.
- Comes with a 2.2L and two 0.5L ceramic pots to prepare many dishes in one go, saving time and energy.
- Timer can be set to complete cooking by a desired time up to a maximum of 9.5 hours.
- Boil dry protection safety feature will shut off appliance when there is no liquid in the pot.
- Transparent lid allows viewing of cooking progress while ceramic inner pot facilitates even cooking.



PDB-453 CERAMIC DOUBLE BOILER

- Ideal for making sumptuous stews, appetising steamed dishes and light porridges with 8 preset computerised control modes.
- Comes with a 2.5L and three 0.5L ceramic pots to prepare many dishes in one go, saving time and energy.
- Timer can be set to complete cooking by a desired time up to a maximum of 9.5 hours.
- Boil dry protection safety feature will shut off appliance when there is no liquid in the pot.
- Glass lid allows viewing of cooking progress while ceramic inner pot facilitates even cooking.



PSM-1604 CERAMIC STEAMER

- Comes with 7 preset computerised control modes including Rice, Meat, Corn, Chicken, Ribs, Vegetables and Dessert.
- Two 3.0L ceramic trays are provided to allow preparation of two tasty dishes simultaneously to save time and energy.
- Timer can be set to complete cooking by a desired time up to a maximum of 9.5 hours.
- Transparent water level indicator and double water inlets help in easy filling of water.
- Boil dry protection safety feature will shut off appliance when there is no liquid in the pot.

PF-3102
12" TABLE FAN
• 35W • 3-SPEED
• HEAVY BASE FOR STABILITY



PF-4102
16" TABLE FAN
• 50W • 3-SPEED
• HEAVY BASE FOR STABILITY




PSF-4502
16" STAND FAN
• 60W • 3-SPEED
• STRONG BASE & MOTOR
• MOTOR WITH SAFETY FUSE



**SOLID
BASE**

**INCREDIBLE
WIND**

**POWERFUL
MOTOR**



BOLD
TO BE LONG

BE DARING. GET A BOLD FAN

The stylish BOLD Fan's durable motor, sturdy base and robust blades are shaped for maximum wind production, to keep you unbelievably cool even in the hottest weather. Comes with a definitely not to be missed quality guarantee of one to one exchange warranty for one year.

Terms & Conditions apply.

**“ONE to ONE
exchange warranty”**



AIR COOLER

PAC-322

- 65W • Removable 2.5L Water Tank
- 3 Fan Speeds (High, Medium, Low)
- With Ioniser for Purer Air
- Full function remote control with 7.5 hour timer
- Eco-friendly, honeycomb design vent for maximum cooling and fresher air
- Large compartment to fit 2 ice-packs for increased cooling effect



PAC-101M

- Excellent Cyclic Sprinkling Water Pump System for Effective Humidity, Cool & Fresh Air
- 3 Fan Speeds (Hi / Med / Low)
- Horizontal Auto-swing & Manually Adjustable Vertical Air Flow
- With Honeycomb Filter, Dust-proof Filter & Removable Water Tank
- 2 Ice Packs for Cooler Effect
- Mechanical Control Panel



PAC-102

- 65W • Removable 6L Water Tank
- 3 Fan Speeds (Hi / Med / Low)
- Eco-friendly, Honeycomb Design Vent for Maximum Cooling and Fresher Air
- With Ioniser for Purer Air
- Full Function Remote Control with 7.5 Hour Timer
- Large Compartment to Fit 2 Ice-packs for Increased Cooling Effect



PAC-103

- 60W • 3 Fan Speeds (Hi / Med / Low)
- 3 Wind Modes (Normal / Natural / Sleeping)
- Excellent Water Pump Sprinkling Cyclic System for Effective Humidity, Cool & Fresh Air
- 3-in-1 Combination of Fan, Air Cooler, Humidifier & Ionizer
- Horizontal Auto-swing & Manually-adjustable Vertical Air Flow
- With Honeycomb Filter, Dust-proof Filter & Removable 6L Water Tank
- 2 Ice-packs for Cooler Effect
- Multi-function Control Panel with Remote Control



PAC-303I

- Pure Natural Plant Fiber Cooler Master for Effective Cool & Fresh Air
- With Ion Function • 7.5 Hours Timer
- Infrared Remote Control with LED Display
- 3 Fan Speeds (Hi / Mid / Low)
- Horizontal Auto-swing & Manually-adjustable Vertical Air Flow
- With Honeycomb Filter & Dust Proof Filter
- 8L Large Capacity Water Tank



PAC-2001RI

- 55W • 3L Water Tank
- 3 Speeds with 3 Wind Modes (Natural/Normal/Sleep)
- 1- 9 hours timer • With Ioniser to Purify Air
- 80 Degree Oscillation
- Digital Display and Remote Control
- Removable Back Cover with Safety Switch
- Sprinkling Cycling System Water Pump, Assists in Cooling the Room Temperature with Ice and Water
- Space Saving Slim Design



MIST FAN



PAC-320H

- 3-in-1 Combination of Fan, Ultrasonic Mist, Humidifier & Ioniser
- 9-hour Timer • 2.5L Water Tank
- With 4 Wheels, Easy to Move
- 3 Fan Speeds (Hi / Mid / Low)
- Multi Function Remote Control & Colourful LED Display
- The Photocatalyst Function Can Break Down Harmful Substances in The Air & Inhibits Bacteria Growth



PAC-321H

- 3-in-1 Combination of Fan, Ultrasonic Mist, Humidifier & Ioniser
- 9-hour Timer • 2.5L Water Tank
- With 4 Wheels, Easy to Move
- 3 Fan Speeds (Hi / Mid / Low)
- Multi Function Remote Control & Colourful LED Display
- The Photocatalyst Function Can Break Down Harmful Substances in The Air & Inhibits Bacteria Growth

TABLE FAN



PF-41A

- 50W • 16" (400mm)
- 3-Speed
- Motor with Safety Fuse



PF-41B

- 50W • 16" (400mm)
- 3-Speed
- Motor with Safety Fuse



PF-3100

- 50W • 12" (300mm)
- 3-Speed
- Motor with Safety Fuse



AF-308

- 50W • 12" (300mm)
- 3-Speed
- Motor with Safety Fuse



PF-4100

- 50W • 16" (400mm)
- 3-Speed
- Motor with Safety Fuse

WALL FAN



PWIF-48R

- 50W • 16" (400mm)
- 3-Speed
- With Remote Control
- Random / Sleep Mode / Timer / Rhythm / Speed
- Motor with Safety Fuse



PWIF-48

- 50W • 16" (400mm)
- 3-Speed
- Motor with Safety Fuse



PWIF-68

- 50W
- 16" (400mm)
- 3-Speed
- Motor with Safety Fuse



PWIF-18A

- 70W
- 18" (450mm)
- 3-Speed
- Metal Fan Blades

INDUSTRIAL FAN



PFF-185

- 70W • 18" (450mm)
- 3-Speed Rotary Control
- 3 Metal Blades for Maximum Air Flow



PFF-18C

- 130W • 18" (450mm)
- 3-Speed Rotary Control
- 3 Metal Blades for Maximum Air Flow



PFF-20B

- 200W • 20" (500mm)
- 3-Speed Rotary Control
- 5 Metal Blades for Maximum Air Flow
- Spiral Guard

BOX FAN



PSF-147

- 60W • 16" (400mm)
- 3 Fan Speeds
- With 2-hour Timer Function
- Rotating Louver with On / Off Switch





PSF-18

- 70W
- 3-Speed
- 18" (450mm)
- Wide Angle Automatic Swing
- 3 Slim Aerodynamic Blades
- Heavy Steering Base for Stability



PSF-45

- 50W
- 3-Speed
- 16" (400mm)
- Motor with Safety Fuse



PSF-458

- 50W
- 3-Speed
- 16" (400mm)
- Motor with Safety Fuse



PSF-605

- 60W
- 16" (400mm)
- With LCD Display
- Ionizer Function
- Special 4-in-1 Multi-oscillating Function
- With Remote Control
- Motor with Safety Fuse



PSF-4500

- 50W
- 3-Speed
- 16" (400mm)
- Motor with Safety Fuse



PSF-4601 / PSF-4602R

- 50W
 - 3-Speed
 - 16" (400mm)
 - Special 4-in-1 Multi-Oscillating Function
 - Motor with Safety Fuse
- PSF-4602R
- Rhythmic Mode
 - With Remote Control

EXHAUST FAN



PEX-060/ 080/ 100/ 120

- Low Noise Operation
- High Efficient Motor for Energy Saving
- High Efficient Air Delivery
- Automatic Shutter
- Easy Installation and Cleaning
- Motor with Safety Fuse

Model	PEX-060	PEX-080	PEX-100	PEX-120
Size (Inch)	6"	8"	10"	12"
Power (W)	25	30	35	45
Air Delivery (m³/min)	4.1	8.1	12.0	18.0
Speed (rpm)	1350-1500	1200-1450	1100-1400	1050-1350
Sound Level (dB)	40	42	45	52
Net Weight (kg)	1.50	2.06	2.30	2.95

INSECT KILLER



PK-11

- 15W
- Safe & Natural Way to Trap Mosquitoes
- Chemical Free - Non Poison & Odourless
- Quiet & Reliable DC Fan - Low Power Consumption 15W
- Built-in Funnel to Prevent Mosquito Escape
- Domet UV Light with Reliable / Stable Wave Length
- Photo Sensor to Switch On / Off
- Effective Area: 60M²



PK-22

- 15W
- Safe & Natural Way to Trap Mosquitoes
- Chemical Free - Non Poison & Odourless
- Quiet & Reliable DC Fan - Low Power Consumption 15W
- Built-in Funnel to Prevent Mosquito Escape
- Domet UV Light with Reliable / Stable Wave Length
- Effective Area: 60M²



PEL-3T

- 360° Light Distribution
- 3 / 2 / 1 Fluorescent Tube Function Selector
- Emergency Light
- Green LED Operating Indicator
- Red LED Charging Indicator
- 6V 4Ah Sealed Lead Acid Rechargeable Battery
- 3 x 10W Fluorescent Tube
- Operation Hours: 1.5-6 Hours
- Suitable for Camping, Fishing



TOWER FAN



PTW-111

- 45W
- Height: 29"
- 3-Speed (1 / 2 / 3)
- Oscillation Function
- 2-hour Timer
- Rotary Switch



PTW-200 / 200R

- 50W
- Height: 40"
- 3-Speed (1 / 2 / 3)
- Wide Angle Automatic Swing
- Removable Rear Cover for Easy Cleaning
- 2-hour Timer
- Easy Operation Control Panel



PTW-201R1

- 65W
- Height: 40.5"
- 3-Speed (1 / 2 / 3)
- 3 Wind Modes
- 90° Horizontal Oscillation
- 1, 2, 4, 8-hour Timer Function
- Elegant Design with LED Display
- With Remote Control



PTW-202R1

- 65W
- Height: 40.5"
- 3-Speed (1 / 2 / 3)
- 3 Wind Modes
- 90° Horizontal Oscillation
- 1, 2, 4, 8-hour Timer Function
- Elegant Design with LED Display
- With Remote Control



PTW-203R1

- 45W
- Height: 40"
- 3-Speed (1 / 2 / 3)
- Wide Angle Automatic Swing
- Removable Rear Cover for Easy Cleaning
- 2-hour Timer
- Easy Operation Control Panel



CEILING FAN

PCF-608



- 85W • 60" (1500mm)
- Pure Copper Motor
- 5-Speed Regulator Control
- Double Ball Bearing

VACUUM CLEANER

PVC-3600S

- 1250W • 36L
- Dry / Wet / Blow Vacuum Cleaner
- Powerful Suction for Waste Water with Accessories
- Strong Blowing Function with Lower Noise
- Washable Filter • Stainless Steel Tank
- Accessories:
Master Nozzle, Squeeze Nozzle, Crevice Tool, Ellipse Brush and Extension Wands



PVC-2200

- 1220W
- 1.5L
- Powerful Motor
- Swivel Front Wheel
- Safety Valve
- Power Regulator
- Strong Suction Power
- Bagless Cyclonic System



PVC-220

- 1200W
- 3.0L
- Automatic Cord Rewinder System
- Dust Bag Full Indicator
- 5 Layer Filtration System
- Cord Length: 5.0M
- Foot Pedal for On / Off



PVC-31B

- 1800W
- 4.0L
- Powerful Motor
- Swivel Front Wheel
- Safety Valve
- Power Regulator
- Strong Suction Power
- Dust Bag Full Indicator
- Cord Rewind System
- Rubber Frame for Collision Prevention



PVC-211

- 1200W
- 3.2L
- Strong Blowing Function
- Washable Filter
- Dry / Wet / Blow Vacuum Cleaner
- Durable Plastic Blow Tank
- Powerful Suction for Waste Water





28



PWH-1000SPR

- With DC Silent Pump • Mesh Filter
- Double Safety Protection • 5 Spray Pattern Handshower
- Variable Temperature Control • Splash Proof Protection
- Suitable for High and Low Water Pressure
- 3 In 1 Stop Valve with Rain Shower Set

Experience Sheer Showering Pleasure



- With DC Silent Pump • Double Safety Protection
- 5 Spray Pattern Handshower • Mesh Filter
- Variable Temperature Control • 3 In 1 Stop Valve
- Suitable for High and Low Water Pressure
- Splash Proof Protection



- Double Safety Protection
- 5 Spray Pattern Handshower • Mesh Filter
- Variable Temperature Control • 3 In 1 Stop Valve
- Suitable for High and Low Water Pressure
- Splash Proof Protection



- With AC Pump • Double Safety Protection
- 5 Spray Pattern Handshower • Mesh Filter
- Variable Temperature Control
- Suitable for High and Low Water Pressure
- 3 In 1 Stop Valve • Splash Proof Protection



- Double Safety Protection
- 5 Spray Pattern Handshower • Mesh Filter
- Variable Temperature Control • 3 In 1 Stop Valve
- Suitable for High and Low Water Pressure
- Splash Proof Protection



- With AC Pump • Double Safety Protection
- 5 Spray Pattern Handshower • Mesh Filter
- Variable Temperature Control
- Suitable for High and Low Water Pressure
- 3 In 1 Stop Valve • Splash Proof Protection

FRESH COOL

PORTABLE AIR CONDITIONER

Pensonic's Fresh Cool Air Conditioning series gives you maximum flexibility in air cooling with its portable air conditioner. With no installation required, it is also easy to move around. Own this well-designed portable air conditioner to cater to your cooling needs anytime and anywhere!



Portable Air Conditioner Specification Sheet

MODEL		PPA-109	PPA-159
Cooling Capacity	Blu / h	9000	12000
Power Sources	V / Hz	220-240 / 50	
Cooling	Rated Input Power W	1300	1550
	Rated Input Current A	5.6	6.7
Air Flow Volume	m ³ / h	420 / 390 / 300	450 / 420 / 390
Dehumidifying Volume	l / h	1.2	1.5
Energy Efficiency Ratio (EER)	W / W	2.60	2.61
Motor Output	W	18	23
Fan Type	-	Centrifugal	
Evaporator	-	Aluminum Fin-Copper Tube	
Climate Type	-	T1	T1
Isolation	-	I	I
Sound Pressure Level	dB(A) / H / M / L	56 / 54 / 52	58 / 56 / 54
Unit Dimensions	W x H x D (mm)	450 x 840 x 400	500 x 840 x 460
Dimensions of Package	W x H x D (mm)	533 x 863 x 488	584 x 877 x 539
Net Weight	Kg	36.0	45.0
Gross Weight	Kg	41.0	52.5
Compressor	Type	Rotary	
Refrigerant Charge	Kg	R410A / 0.58	R410A / 0.80
Dehumidifier		✓	✓
Sleep Mode		✓	✓
Timer		✓	✓
Vertical Auto Swing		✓	✓
Air Flow		✓	✓
Memory Function		✓	✓
Dry Anti-mildew Design		✓	✓
Auto Fan		✓	✓
Self Diagnosis		✓	✓
LED Display		✓	✓





Self-Diagnosis



Turbo Cooling




Dehumidifies



AIR CONDITIONER

R410A New Series Split Air Conditioner Specification Sheet

MODEL	INDOOR UNIT		1.0HP	1.5HP	2.0HP	2.5HP
	PCU-1019	PCU-1519	PSW-1019	PSW-1519	PSW-2019	PSW-2519
Cooling Capacity	Btu / h		8871	11000	17998	22001
	W		2600	3224	5275	6448
Power Sources	V / Hz			220 - 240 / 50		
Cooling Capacity	Rated Input Power	W	1200	1400	2200	2950
	Rated Input Current	A	5.57	7.72	12.00	14.70
Air Flow Volume	Indoor Unit	m³ / h	500	600	850	950
	Outdoor Unit	m³ / h	1200	1600	1800	3200
Dehumidifying Volume	l / h	0.8	1.4	1.8	2.0	
Energy Efficiency Ratio (EER)	Btu / h / w	9.73	10.16	11.48	10.01	
Motor Output	Indoor Fan	W	10	20	20	35
	Outdoor Fan	W	20	35	45	60
Fan Type - Piece	Indoor Fan	Type		Cross Flow Fan		
	Outdoor Fan	Type		Axial Flow Fan		
Evaporator	Type			Aluminum Fin-Copper Tube		
Sound Pressure Level	Indoor Fan	dB(A) / S / H / M / L	39 / 36 / 33 / 30	42 / 39 / 36 / 33	46 / 42 / 37 / 34	47 / 42 / 38 / 34
	Outdoor Fan	dB(A)	50	52	52	53
Unit Dimensions	Indoor Fan	W x H x D [mm]	790 x 265 x 186	848 x 275 x 180	940 x 298 x 200	1007 x 315 x 219
	Outdoor Fan	W x H x D [mm]	720 x 428 x 310	776 x 540 x 320	848 x 540 x 320	955 x 700 x 396
Dimensions of Package	Indoor Fan	W x H x D [mm]	873 x 251 x 370	918 x 258 x 370	1013 x 383 x 300	1076 x 398 x 328
	Outdoor Fan	W x H x D [mm]	768 x 353 x 490	823 x 358 x 595	881 x 363 x 595	1029 x 458 x 750
Net Weight	Indoor Fan	Kg	9.0	10.0	12.0	15.0
	Outdoor Fan	Kg	25.0	27.0	39.5	51.0
Gross Weight	Indoor Fan	Kg	10.5	12.0	15.0	18.5
	Outdoor Fan	Kg	27.0	31.0	42.0	55.5
Compressor	Type			Rotary		
Climate Type			T1	T1	T1	T1
Isolation		I	I	I	I	I
Refrigerant Charge	Kg	R410A / 0.56	R410A / 0.57	R410A / 0.93	R410A / 1.35	
Length	M	5	5	5	5	5
Gas Additional Charge	g/m	15	15	15	15	15
Connection	Copper Pipe Size	Liquid Pipe Gas Pipe	1 / 4" inch 3 / 8" inch	1 / 4" inch 1 / 2" inch	1 / 4" inch 1 / 2" inch	1 / 4" inch 5 / 8" inch
Max Distance	Height	M	10	10	10	10
	Length	M	15	20	25	25
Automatic Operation		✓	✓	✓	✓	✓
Cooling		✓	✓	✓	✓	✓
Dehumidify		✓	✓	✓	✓	✓
Sleep Mode		✓	✓	✓	✓	✓
Timer		✓	✓	✓	✓	✓
Fan		✓	✓	✓	✓	✓
LED Display		✓	✓	✓	✓	✓
Vertical Auto Swing		✓	✓	✓	✓	✓
Air Flow		✓	✓	✓	✓	✓
Memory Function		✓	✓	✓	✓	✓
Dry Anti-mildew Design		✓	✓	✓	✓	✓
Auto Fan		✓	✓	✓	✓	✓
Self Diagnosis		✓	✓	✓	✓	✓
Turbo Cooling		✓	✓	✓	✓	✓
Energy Efficiency		★★	★★	★★★	★★★	★★★



KEEP COOL!!!

PORTABLE PARTY MACHINE

Enjoy fantastic music and entertainment anywhere with this portable radio that's great for travel or on-the-go use.

Its feature packed, easy-to-use functions allow pairing with select audio devices, making it convenient to listen to what you want and when you want to.



PCD-901

USB Port &
SD/MMC Card Slot

AM/FM Tuner

Cassette
CompatibleDVD/VCD/CD/
MP3/MP4 Player

DVD PLAYER



PDVD-8203

- DVD / CD / PAL-NTSC
- Full Remote Control System
- Full Karaoke Function
- Multi Zone Code & Parental Lock
- 2.0ch Analogue Audio Output
- CD-R / CD-RW / MP3 Decoder
- Supports 32 Subtitles



PDVD-9301RM

- DVCD / SVCD / VCD / CD / CD-R / CD-RW / DVD-RW / AUTO TV / PAL-NTSC / DVD+RW JPEG / Kodak Picture CD
- Full Remote Control System
- Full Karaoke Function with Digital Echo & 3D Effect
- RM / RMVB Compatible Digital Media Player
- Multi Zone Code & Parental Lock



PDVD-8204

- DVD / CD / PAL-NTSC
- Full Remote Control System
- Full Karaoke Function
- Multi Zone Code & Parental Lock
- 2.0ch Analogue Audio Output
- CD-R / CD-RW / MP3 Decoder
- Supports 32 Subtitles



PDVD-9302H

- DVCD / VCD / CD / CD-R / CD-RW / DVD-R / HD Mode / DVD-RW / Kodak Picture CD / PAL-NTSC
- Full Remote Control System
- Full Karaoke Function
- Multi Zone Code & Parental Lock
- HDMI



PORTABLE RADIO



PPR-01

- AC / DC 6V Operation
- Built-in Rechargeable Battery
- With Each Charge, Radio Works 10-15 Hours Continuously
- With Each Charge, USB / SD Works 2 Hours Continuously
- With Remote Control
- Auto Scan FM Tuner (FM88 - 108MHz)
- USB / SD Input (max 8G)
- AUX Input Jack
- PC-USB Cable (Power Supply / Charging)



PPR-03

- DC 5V
- Rechargeable Battery - BL-5C
- Auto Scan FM Tuner (FM88 - 108MHz)
- USB / SD Input (max 8G)
- AUX Input Jack
- PC-USB Cable (Power Supply / Charging)



PPR-05

- DC 5V
- With Remote Control
- Rechargeable Battery - BL-5C
- Auto Scan FM Tuner (FM88 - 108MHz)
- USB / SD Input (max 8G)
- AUX Input Jack
- PC-USB Cable (Power Supply / Charging)



PPR-06

- DC 5V
- With Remote Control
- Rechargeable Battery - BL-5C
- Auto Scan FM Tuner (FM88 - 108MHz)
- USB / SD Input (max 8G)
- AUX Input Jack
- PC-USB Cable (Power Supply / Charging)

CD PLAYER



PCD-901

- DVD / VCD / CD / MP3 / MP4 Player
- AC / DC Operation
- LED Display
- USB / SD Card Reader
- AM / FM Tuner
- Bass Boost System
- Built-in Microphone
- Cassette Player
- Uses 8pc "UM-2" Batteries



CHILL & FREEZE

PFZ-152



Energy efficient, space saver that helps you cut food costs.



SWIFT FREEZE

Concealed high efficiency compressor freezes items quickly and evenly to seal in freshness and nutrition.



ENERGY EFFICIENT

Durable, compact freezer runs on low energy consumption mode to save on utility bills and is kinder to the environment.



SAVE ON BULK

Stock pile perishables when there is a sale and plan healthy meals for your family, saving time, money and resources.

REFRIGERATOR



PMF-65

- Freezer Temp: -10°C to 1°C
- Refrigerator Temp: 0°C to 10°C
- Gross Weight: 16.5kg
- Corrosion Resistant Cabinet
- Low Energy Consumption
- Space Saving
- Adjustable Feet
- Ext. Dim.(mm): 472W x 450L x 492H

FREEZER



PFZ-112 / 152

- Corrosion Resistant Cabinet
- Concealed High Efficiency Compressor
- Modern & Stylish Design
- Low Energy Consumption
- Space Saving

Model	Capacity	Ext.Dim(mm) W x L x H
PFZ-112	100L	598 x 582 x 885
PFZ-152	150L	790 x 582 x 885



PFZ-233F / 343F / 453F / 563F

- Corrosion Resistant Cabinet
- Concealed High Efficiency Compressor
- With Indicator Light
- With Rollers
- Low Energy Consumption
- Space Saving
- Built-in Lock
- No External Condensation
- Drain Plug

Model	Capacity	Ext.Dim(mm) W x D x H
PFZ-233F	210L	760 x 695 x 897
PFZ-343F	300L	1030 x 695 x 897
PFZ-453F	400L	1300 x 695 x 897
PFZ-563F	560L	1655 x 695 x 897

PFZ-203G / 253G

- Corrosion Resistant Cabinet
- Concealed High Efficiency Compressor
- With Indicator Light
- With Rollers
- Low Energy Consumption
- Space Saving
- Built-in Lock
- No External Condensation
- Drain Plug & Drain Hose
- With Sliding Glass Lid

Model	Capacity	Ext.Dim(mm) W x L x H
PFZ-203G	200L	576 x 925 x 850
PFZ-253G	250L	576 x 1080 x 850



CLEAN & FRESH CLOTHES ANYTIME!



Wash More, Save More!

15 kg capacity means wash more, less frequently. 6 energy efficient wash programmes and 8 water level control cuts down energy bills.



Extra Large? No worries

Large capacity allows washing of heavy and large blankets, curtains and even delicate items with ease.



Super Clean Dynamic Soak

Dynamic Soak loosens stubborn dirt with gentle agitator action before the actual washing cycle starts.



Smart Convenience

Select a program and set your washing to begin at a suitable time from 1 up to 24 hours later with 'Delay Start'.

WASH & CLEAN

WASHING MACHINE



RWS-654A

- 6.0kg
- Semi-auto
- Anti-peel Design (Rot)
- Plastic Body Free from Rust
- Spin Dryer Safety Functions
- Spinning Stops Automatically when Lid is Inadvertently Opened
- Water Inlet Selection
- Magic Cleaning Filter



RWS-6002

- 6.0kg
- Semi-auto
- Anti-peel Design (Rot)
- Plastic Body Free from Rust
- Elegant Glass Top
- Spin Dryer Safety Functions
- Spinning Stops Automatically when Lid is Inadvertently Opened
- Water Inlet Selection

RWS-9002 • 9.0kg
RWS-1102 • 11.0kg

- Semi-auto
- Anti-peel Design (Rot)
- Plastic Body Free from Rust
- Spin Dryer Safety Functions
- Spinning Stops Automatically when Lid is Inadvertently Opened
- Water Inlet Selection



RWS-655A

- 300L • 6.0kg
- Full Steel Body Free from Rust
- Stainless Steel Inner Tub
- LED Display • Dynamic Soak
- Error Code Alarm
- 5 Energy Saving Wash Programmes
- 8 Water Level Control
- 1-24 Hours Delay Start

RWS-735I • 330L • 7.3kg
RWS-805I • 350L • 8.0kg
RWS-855I • 400L • 8.5kg

- Full Steel Body Free from Rust
- Stainless Steel Inner Tub
- LED Display • Dynamic Soak
- Error Code Alarm • Child Lock
- 6 Energy Saving Wash Programmes
- 8 Water Level Control
- 1-24 Hours Delay Start



RWS-155I

- 480L • 15.0kg
- Full Steel Body Free from Rust
- Stainless Steel Inner Tub
- LED Display • Dynamic Soak
- Error Code Alarm • Child Lock
- 6 Energy Saving Wash Programmes
- 8 Water Level Control
- 1-24 Hours Delay Start



RWA-6501F

- 6.5kg
- 15° Tilt Open Drum Washing Machine
- Maximum Spin Speed - 1100 Rpm
- DIY Programme and Memory
- 8 Wash Programmes
- Anti-float Control
- Child Lock Function



15° Tilt Open Drum
A Round New Washing Dimension
Crease Resistant



5-YEARS
2-YEARS
WASH & DRY GUARANTEED



SMOOTHEN WRINKLES ON GARMENTS IN A FLASH

PVS-1



Easy to use hand operated power button.



Quick 1 minute heat up. 5 variable setting options with optimum steam delivery for different types of fabric.



Energy saving function reduces voltage by half when there is non-movement for 5 minutes and shuts off after 7 minutes.



Water depletion alarm and transparent 2600cc water tank for convenient viewing of water level.

STEAM / SPRAY IRON

PSI-1005



- 1890W - 2250W
- Variable Steam Control
- Self-Clean Function
- Adjustable Temperature Control Knob for All Kinds of Textiles
- 3-in-1 Function: Steam, Spray & Dry
- Non-stick Teflon Coating Soleplate
- Translucent Water Level Indicator
- Indicator Light

PSI-1006



- 1800W - 2200W
- Variable Steam Control
- Self-Clean Function
- Adjustable Temperature Control Knob for All Kinds of Textiles
- 3-in-1 Function: Steam, Spray & Dry
- Non-stick Teflon Coating Soleplate
- Translucent Water Level Indicator
- Indicator Light
- Variable Steam Control

PSI-1007



- 1200 - 1400W
- Adjustable Temperature Control Knob for All Kinds of Textiles
- 3-in-1 Function: Steam, Spray & Dry
- Indicator Light
- Non-stick Coated Soleplate
- Variable Steam Control
- Translucent Water Level Indicator (140cc)

PSI-890



- 1100W - 1200W
- Spray Function
- Indicator Light
- Adjustable Temperature Control Knob for All Kinds of Textiles
- Non-stick Coating Soleplate

DRY IRON

PI-500



- 1200W • 1.8kg
- Adjustable Temperature Control Knob for All Kinds of Textiles
- Indicator Light

PI-600



- 1200W • 1.8kg
- Adjustable Temperature Control Knob for All Kinds of Textiles
- Non-stick Teflon Coating
- Indicator Light

PI-850



- 1100W - 1200W
- Indicator Light
- Adjustable Temperature Control Knob for All Kinds of Textiles
- Non-stick Coating Soleplate



VERTICAL STEAM IRON

PVS-1

- 1370 - 1630W
- See-through Water Tank 2600cc
- Quick 1 Minute Heat Up Time (1500W)
- Convenient Garment Hanger
- Water Depletion Alarm
- Easy to Use Hand Operated Power Button
- 5 Settings to Regulate Steam
- Energy Saving Function
- A 5 Minutes of Non-movement: Working Voltage will Decrease by Half
- 5.7 Minutes of Non-movement: Auto-off



amberchia
mesmerized by
PENSONIC



Amber Chia
Pen sonic Friend

Scan to view
ACMBF TVC
in YouTube





PHD-1100

Power : 1470-1600W
Voltage : 230-240V ~ 50/60Hz

- 2 Speeds

Optimal control for all hair types and textures

- Cool Shot Function

Set and style your hair with ease

- Small & Light Weight

Easy-carry and ideal for travelling



PHD-1101

Power : 1400W
Voltage : 220-240V ~ 50/60Hz

- 2 Speeds

Optimal control for all hair types and textures

- Cool Shot Function

Set and style your hair with ease and add shine

- Ionic Function

Protects hair from harmful static discharge

- Small & Light Weight

Easily carried and ideal for travelling



PHD-2000P

Power : 1800W
Voltage : 220-240V ~ 50/60Hz

- 2 Speeds & 3 Heat Settings

Optimal control for all hair types and textures

- Cool Shot Function

Set and style your hair with ease and add shine

- Heat Balance Technology

Even heat distribution for efficient drying

- Complete Set of Accessories

Comes with nozzle, comb and diffuser to accommodate your different hairstyles

- Constant Temperature

Advanced fan technology delivers air streams for quick drying



PHD-2100

Power : 1800-2000W
Voltage : 230-240V ~ 50/60Hz

- 2 Speeds & 3 Heat Settings

Optimal control for all hair types and textures

- Cool Shot Function

Set and style your hair with ease and add shine

- Useful Hair Accessories

Slim nozzle and diffuser for wavy hair style

- Easy Cleaning

Detachable end cap for cleaning convenience

- Two Way Handling

Adjustable angle for optimal handling comfort

- Low Noise

Quiet operation eliminates irksome noise



PHD-2200P

Power : 2000-2200W
Voltage : 230-240V ~ 50/60Hz

- 2 Speeds & 3 Heat Settings

Optimal control for all hair types and textures

- Cool Shot Function

Set and style your hair with ease and add shine

- AC Motor

More durable and longer life span

- Easy Cleaning

Detachable end cap for cleaning convenience

- With Accessories

Ultra slim nozzle and diffuser for wavy hair style

- Ionic Function

Protect hair from harmful static charge



PHS-CS300

Power : 62W
Voltage : 220-240V ~ 50/60Hz

- PTC Heater

Constant heat for excellent hair protection

- Maximum Temperature 230°C

Heats up to 230°C for salon quality performance on the go

- Power ON Light Indicator

Shows the status of operation

- 360° Turnable Cord

Good handling and easy storage

- Barrel Locking

Switch between curler and straightener with just a single locking

- Ceramic Coating On Barrel

Reduce hair damage for soft and shiny hair



PHD-1001F

- 1000W • 2-Speed Selection
- Quiet Design • Foldable Handle
- Overheat Auto Shut Off Device
- Constant Temperature for Healthy Hair Care
- Heat Balance Technology
- Detachable Concentrator

PHD-2001

- 2000W • 2-Speed Selection
- 3 Heat Settings • Hang-up Hook
- Overheat Auto Shut Off Device
- Cool Shot to Freeze Style
- Removable Concentrator & Diffuser
- Removable Filter Cover for Easy Cleaning



CLASSIC SERIES



01 JUG KETTLE
PAB-1707CS



02 BREAD MAKER
PBM-200IS



03 FOOD STEAMER
PSM-1625



04
GLASS JUG
KETTLE
PAB-1500CG



05
JUICER
PJ-6900S



06
SANDWICH
TOASTER
PST-9602S



SPECTACULAR,
TIMELESS, Refined

Pensonic's Classic Series home appliances, defined by their understated elegance featuring cool, metallic exteriors with sleek lines and innovative features, perform as brilliantly as their good looks.

JUG KETTLE
PAB-1707CS

- Power: 1850-2200W
- Capacity: 1.7L
- 360° Rotational S/S Kettle
- With Concealed Heating Element
- Automatic Lid-opening Structure
- With Water Level Indicator
- Boil Dry Protection
- Automatic Switch Off
- Anti-slip Feet and Cord Storage

BREAD MAKER
PBM-2001S

- Power: 710W
- 15 Preset Programmes
- 3 Loaf Size Selection (1.0LB, 1.5LB, 2.0LB)
- 3 Adjustable Crust Settings (Light, Medium, Dark)
- 15 Minutes Power Interruption Backup System
- 15-hour Programmable Delay-start Timer
- Removable Non-stick Bowl for Easy Cleanup
- Accessories: Measuring Cup, Measuring Spoon, Hook

FOOD STEAMER
PSM-162S

- Power: 800W
- Capacity: 1.2L
- Stainless Steel Housing
- 60 Minute Timer with Auto Shut Off & Chime
- Water Window with Side Water Refill Facility
- Indicator Light
- 1.0L Rice Bowl
- 2 Big Capacity Steamer Container

GLASS JUG KETTLE
PAB-1500CG

- Power: 1850-2200W
- Capacity: 1.5L
- German Schott Glass
- Safety Auto Shut Off and Boil Dry Protection
- Ergonomic Handle with Lid Release Button
- Soft Opening Lid Prevents Splashing
- On/Off Switch with Indicator Light

JUICER
PJ-6900S

- Power: 600W
- Capacity: 1.5L Pulp Container
750ml Juice Cup
- 75mm Diameter Feeding Tube Available for Juicing
- Stainless Steel Housing and Blade Assembly
- Stainless Steel Filter Basket for Easy Cleaning
- Two Speed Control Section
- Overheat Protector on Powerful Motor
- Safety Lock Device
- Unique Detachable Parts for Easy Cleaning and Placement
- Accessories: Cleaning Brush

SANDWICH TOASTER
PST-9602S

- Power: 700-800W
- Cool Touch Housing
- Non-stick Coating
- Durable Casing
- Skid-resistant Feet
- Cord Storage
- Built-in Indicator Light

01

TABLE FAN
PF-31S

- 45W
- 12" (300mm)
- 4 Wider Metal Blades
- 3-Speed Rotary Control
- Heavy Base for Stability
- Wide Angle Automatic Swing
- Spider Fan Guard

02

STAND FAN
PSF-46S

- 60W
- 16" (400mm)
- Height Adjustment
- 4 Wider Metal Blades
- 3-Speed Rotary Control
- Heavy Base for Stability
- Wide Angle Automatic Swing
- Spider Fan Guard

03

04

05

07

07
TABLE FAN
PF-31S



08

08
STAND FAN
PSF-46S

06